# Index to Vol. 24

## 1979

## Compiled by Arthur H. Harris


A

Abnormalities: albinism in mourning doves, 198; accessory paired fin in *Carpiodes carpio*, 200

*Abronia fragrans*: nocturnal pollination, 692

Ackerman, Thomas L.: Germination and survival of perennial plant species in the Mojave Desert 399

Activity: of *Sigmodon hispidus*, 63

Adams, Robert P., and Thomas A. Zanoni: The distribution, synonymy, and taxonomy of three junipers of southwestern United States and northern Mexico, 323

*Agave toumeyana*: Chromosome number, 187

Aggression: in armadillo, 697

Alabama: *Schoenolirion wrightii*, 123

Albinism: in mourning doves, 198

Allelochemics: from *Ambrosia trifida*, 637

*Aluralagus*: identification, 275

*Ambrosia dumosa*: germination and survival in Mojave Desert, 399

*Ambrosia trifida*: allelochemic effects of leaf extracts, 637

*Anas crecca*, *A. cyanoptera*, *A. discors*: fall foods, 373

Anatomy: of olfactory organ and eyes in five genera of minnows, 501

Anderson, Roger C., and Thieron Harrison: A limitation of the hybrid index using *Quercus* leaf characters, 463

*Antilocapra americana*: protective behavior by male, 709

Antitranspirant avoidance: by *Gambusia affinis affinis*, 87

*Antrozous pallidus*: winter activity in Utah, 447

*Arceuthobium apachecum*, *A. blumeri*: effect on *Pinus strobiformis*, 455

*Arceuthobium divaricatum*: distribution on south rim of Grand Canyon, 625

*Argemone pleiacantha*: chromosome number, 188

Arizona: plant chromosome number, 187; occurrence of mastodon, 231; food resource utilization in *Sceloporus jarrovi*, 347; overwintering tadpoles and breeding season variation in *Rana pipiens* complex, 371; effect of dwarf mistletoes on *Pinus strobiformis*, 455; occurrence of *Gopherus agassizi* in extreme eastern Arizona, 545; discovery and loss of a new locality for *Poeciliopsis occidentalis occidentalis*, 555; avifauna of habitat islands in Grand Canyon, 563; insects associated with *Baccharis sarothroides*, 603; distribution of *Arceuthobium divaricatum* and *Phoradendron juniperinum* on south rim of Grand Canyon, 625; geographic variation in *Eutamias*, 665; predation on honey ants by mammals, 677; distribution of *Ptychocheilus lucius* and *Xyrauchen texanus*, 686; climbing activity in *Heloderma suspectum*, 703

Arkansas: lipid activity during hibernation of *Pipistrellus hesperus*, 71; occurrence of *Schoenolirion wrightii*, 123; survey of planarians, 141; *Notropis ozarcanus* in Illinois River system, 381; live history aspects of *Etheostoma pallididorsum*, 475; new dis-

tributional records for caryophyllid cestodes, 685
Arnold, M. L., and R. C. Jackson: Genic differentiation in *Machaeranthera* section *Psilactis* (Compositae), 645
*Artemisia filifolia*: effects of insecticides on non-target athropods of, 439
*Astragalus puniceus*: chromosome number, 188
*Atriplex confertifolia*: germination and survival in Mojave Desert, 399
Avifauna: of Grand Canyon, 563
*Aythya americana*: breeding in Texas Panhandle, 691

B

*Baccharis sarothroides*: insects associated with, 603
Bailey, D. K., and Tom Wendt: New pinyon records for northern Mexico, 389
*Baiomys taylori taylori*: in north-central Texas, 376; additional records in Texas, 707
Ballinger, Royce E., and Ruth A. Ballinger: Food resource utilization during periods of low and high food availability in *Sceloporus jarrovi* (Sauria: Iguanidae), 347
Ballinger, Ruth A. *See* Ballinger, Royce E., and . . . 347
Barber, Susan B.: Floristic components of the gypsum hills and redbud area of southwestern Oklahoma, 431
Bateman, Gary C. *See* Duke, Stephen D., et al., 693
Bateman, Martha M. *See* Duke, Stephen D., et al., 693
Bednarz, James C.: Ecology and status of the Pecos gambusia, *Gambusia nobilis* (Poeciliidae), in New Mexico, 311
Belk, Denton: *Branchinecta potassa* new species (Crustacea: Anostraca), a new fairy shrimp from Nebraska, U.S.A., 93
Belk, Denton, and David R. Lindberg: First freshwater animal reported for Isla de Guadalupe represents a southern range extension for *Branchinecta lindahli* (Crustacea: Anostraca), 390
Behavior: of California condor, 190; evidence for fratricide in Swainson's hawk, 533; chick recognition in purple martins, 683; in armadillos, 697; climbing activity in *Heloderma suspectum*, 703; homing in mule deer, 705; use of man-made leks by prairie chickens, 706; protective, by male pronghorn, 709
*Berberis haematocarpa*: Pleistocene occurrence, 127
*Biacetabulum giganteum*: new for Arkansas, 685
*Bidens lemmoni*: in Animas Mts., 291
Blancan age: identification of genera of American rabbits, 275
*Blarina carolinensis carolinensis*, *B. c. minima*, *B. c. plumbea*: systematics in Texas, 39
Book review: A biogeographical analysis of the Chihuahuan Desert through its herpetofauna, 715
Book review: Birds of Utah, 397
Book review: Kangaroo rats: Intraspecific variation in *Dipodomys spectabilis* Merriam and *Dipodomys deserti* Stephens, 717
Book review: The mammals of Trans-Pecos Texas, 207
*Bosmina longirostris*: zooplankton community, 1
*Botrichium lunarioides*: occurrence in Texas, 395
Boyd, Roger L. *See* Braun, Clait E., and . . . 198
Boyd, Roger L. *See* Braun, Clait E., et al., 391
Bragg, Thomas B., David M. Sutherland, Pat Costigan, and Frank Hershey: Northwestward range extension of *Diospyros virginiana* (Ebenaceae), 387

*Branchinecta lindahli*: occurrence on Isla de Guadalupe, 390
**Branchinecta potassa,** new species, 93
Branson, Branley A.: Observations on the gross anatomy of the olfactory organ and eyes in five genera of American barbeled minnows (Pisces: Cyprinidae), 501
Braun, Clait E., and Roger L. Boyd: Albinism in mourning doves, 198
Braun, Clait E., F. John Ward, J. Allen White, and Roger L. Boyd: Plumage aberrancies in band-tailed pigeons, 391
Breeding biology: of olivaceous cormorants, 259
*Brickellia simplex*: in Animas Mts., 291
*Bromus willdenowii*: new to Oklahoma, 431
Brown, Charles R.: Chick recognition in purple martins (Passeriformes: Hirundinidae), 683
Brown, Harley P., and William D. Shepard: Type specimens in the zoological collections of the Stovall Museum of Science and History, 195
Brown, Wennona A. *See* Schmidly, David J., and . . . 39
Burr, Brooks M., Robert C. Cashner, and William L. Pflieger: *Campostoma oligolepis* and *Notropis ozarcanus* (Pisces: Cyprinidae), two additions to the known fish fauna of the Illinois River, Arkansas and Oklahoma, 381
*Buteo swainsoni*: evidence for fratricide, 533
Bye, Robert A., Jr., and Douglas E. Soltis: *Parnassia townsendii* (Saxifragaceae), a Mexican endemic, 209
Byman, David. *See* Wunder, Bruce A., and . . . 527

C

*Caesalpinia gilliesii*: new to Oklahoma, 431
Caire, William, *See* Pyle, Richard A., and . . . 389
*Calandrinia ciliata*: in Animas Mts., 291
Calicoles: in southwestern Oklahoma, 431
California: condor behavior, 190; time budgets of *Spermophilus beecheyi* during reproduction, 191; current status of *Dipodomys microps* in Joshua Tree National Monument, 530; food studies of *Cyprinodon macularius* and *C. nevadensis*, 538; high local species richness of mammals, 553
Cameron, Guy N., W. Bradley Kincaid, Cathy A. Way, and J. O. Woodrow, Jr.: Daily movement patterns of *Sigmodon hispidus*, 63
Campbell, Johnathan A.: *Crotalus scutulatus* (Viparidae) in Jalisco, Mexico, 693
*Campostoma oligolepis*: in Illinois River, Oklahoma, 381
*Canis familiaris*, *C. latrans*, *C. rufus*: hybridization in Oklahoma, 485
Carey, Andrew B. *See* Johnson, Mark K., and . . . 544
Carothers, S. W. *See* Minckley, C. O., and . . . 686
Carothers, Steven W. *See* Willson, Mary F., and . . . 563
*Carpiodes carpio*: with accessory paired fin, 200
Carrillo, Belinda A. *See* Prophet, Carl W., and . . . 667
Cashner, Robert C. *See* Burr, Brooks M., et al., 381
*Castilleja patriotica*: in Animas Mts., 291
*Caucalis microcarpa*: in Animas Mts., 291
Caves: occurrence of *Dendrocoelopsis americana*, 141; use by white-tailed deer, 203
*Celtis reticulata*: Pleistocene occurrence, 127
*Centurio senex senex*: in Guerrero, 540
*Ceratoides lanata*: germination and sur-

vival in Mojave Desert, 399
*Cercocarpus montanus*: Pleistocene occurrence, 127
*Ceriodaphnia quadrangula*: zooplankton community, 1
*Chaetogaster diastrophus*: new to western Texas, 509
*Chamaebatiaria millefolium*: chromosome number, 189
Chandler, Clay M. *See* Darlington, Julian T., and . . . 141
Checklist: of mycelial fungi on Mustang Island, 365
*Cheilanthes pringlei*: in Animas Mts., 291
Chernoff, Barry, and H. Dale Hall: Meristic and morphometric characters of a population of *Lucania parva* (Pisces: Cyprinodontidae) isolated in False River, Louisiana, 181
Chew, Robert M.: Mammalian predation on honey ants, *Myrmecocystus* (Formicidae), 677
Chihuahuan Desert: late Pleistocene and early Holocene plants and mammals, 127
Choate, Jerry R., Robert C. Dowler, and Janet E. Krause: Mensural discrimination between *Peromyscus leucopus* and *P. maniculatus* (Rodentia) in Kansas, 249
Choate, Jerry R., and Mark D. Engstrom: [Review of] The mammals of Trans-Pecos Texas, 207
Choate, Jerry R., and Michael P. Moulton: [Review of] Kangaroo rats: Intraspecific variation in *Dipodomys spectabilis* Merriam and *Dipodomys deserti* Stephens, 717
Chromosome numbers: in Southwestern plant taxa, 187
*Chydorus sphaericus*: zooplankton community, 1
*Couesius*: gross anatomy of olfactory organ and eyes, 501
Coahuila: *Pinus cembroides* var. *remota*, 389
Cokendolpher, James C., David L. Holub, and Dennis C. Parmley: Additional records of mammals from north-central Texas, 376
Collins, James P., and Michael A. Lewis: Overwintering tadpoles and breeding season variation in the *Rana pipiens* complex in Arizona, 371
Colorado: seasonal home range changes in *Sciurus aberti*, 49; albinism in mourning doves, 198; late breeding of *Peromyscus maniculatus*, 527; porcupine pellet pH, color, and composition, 544; spring and summer foods of *Sylvilagus auduboni*, 549; protective behavior by male *Antilocapra*, 709
*Columba fasciata*: plumage aberrancies, 391
*Corylanthus wrightii*: chromosome number, 189
Costigan, Pat. *See* Bragg, Thomas B., et al., 387
Cross, John K., and Matt S. Rand: Climbing activity in wild-ranging Gila monsters, *Heloderma suspectum* (Helodermatidae), 703
*Crotalus scutulatus*: in Jalisco, Mexico, 693
Csuti, Blair A.: Current status of the chisel-tooth kangaroo rat in Joshua Tree National Monument, 530
*Cura foremanii*: distribution in Arkansas, 141
*Cyclanthera dissecta*: in Animas Mts., 291
*Cynomys ludovicianus ludovicianus*: in north-central Texas, 376
*Cyprinodon elegans*: die-off, 534
*Cyprinodon macularius*, *C. nevadensis*: food, 538
Cytology: of *Parnassia townsendii*, 209

D

*Dalea candida*, *D. cylindriceps*, *D. lach-*

*nostachya*, *D. scariosa*: chromosome number, 188
Dalquest, Walter W.: Identification of genera of American rabbits of Blancan age, 275
*Daphnia pulex*: zooplankton community, 1
Darlington, Julian T., and Clay M. Chandler: A survey of the planarians (Tricladida: Paludicola) of Arkansas, 141
*Dasypus novemcinctus*: aggression and tumbling, 697
Davis, Jack R.: Die-offs of an endangered pupfish, *Cyprinodon elegans* (Cyprinodontidae), 534
Davis, Jack R. *See* Harman, Walter J., et al., 509
Dean, S. Michael. *See* Hubbs, Clark, and . . . 546
deCalesta, David S.: Spring and summer foods of Audubon's cottontail rabbit (*Sylvilagus audubonii*) in north-central Colorado, 549
Decomposition: of piñon ovulate cones, 383
*Delphinium andesicola*: in Animas Mts., 291
*Delphinium novomexicanum*, *D. scaposum*: chromosome number, 189
*Dendrocoelopsis americana*: distribution in Arkansas, 141
Denson, Render D.: aggression and tumbling among armadillos, 697
*Dermacarus hypudaei*: in South Dakota, 689
*Dero digitata*, *D. furcata*: new to western Texas, 509
*Dero pectinata*: new to North America, 509
Desert shrub habitat: rodents, 279
*Diaphanosoma leuchtenbergianum*: zooplankton community, 1
*Diaptomus dorsalis*: zooplankton community, 1
Dick-Peddie, William A. *See* Gross, Frederick A., and . . . 115
Diersing, James E. *See* Diersing, Victor E., and . . . 707
Diersing, Victor E.: Noteworthy records of Merriam's shrew, *Sorex merriami*, from New Mexico, 708
Diersing, Victor E., and James E. Diersing: Additional records of *Baiomys taylori taylori* (Thomas) in Texas, 707
Diet: of white-tailed deer in South Texas, 297
*Diospyros texana*: on Edwards Plateau, 165
*Diospyros virginiana*: in Nebraska, 387
*Dipodomys elator*: in north-central Texas, 376
*Dipodomys microps*: status in Joshua Tree Natl. Mon., 530
Discrimination: between *Peromyscus leucopus* and *P. maniculatus*, 249
*Disonycha alabamae*: relationship with *Phlox drummondii*, 536
Distribution: three species of *Perognathus* in Trans-Pecos Texas, 17; of *Blarina carolinensis* in Texas, Holocene and Pleistocene, 39; *Schoenolirion wrightii*, 123; Pleistocene and Holocene plants in Hueco Mts., 127; planarians in Arkansas, 141; periphyton in Grand River Dam area of Oklahoma, 149; *Parnassia townsendii*, 209; plants in Animas Mts., 291; junipers in southwestern USA and Mexico, 323; riparian tree species, Escalante River, 331; *Notiosorex crawfordi* in Oklahoma, 375; mammals in north-central Texas, 376; *Campostoma oligolepis* and *Notropis ozarcanus* in Illinois River system, 381; *Erigeron geiseri*, 386; *Diospyros virginiana* in Nebraska, 387; *Pinus cembroides* var. *remota* in northern Mexico, 389; *Tadarida macrotis* in Oklahoma, 389; *Branchinecta lindahli* on Isla de Guadalupe, 390; *Botrychium lunarioides* and *Ophioglossum nudicaule* var. *tenerum* in Texas,

395; flora of southwestern Oklahoma, 431; dwarf mistletoes, 455; aquatic Oligochaeta new to North America and further records from Texas, 509; Mexican bats, 540; *Gopherus agassizi* in extreme eastern Arizona, 545; mammals at Bodie, California, 553; *Poeciliopsis occidentalis occidentalis*, 555; avifauna in habitat islands, Grand Canyon, 563; *Pappogeomys castanops* on Llano Estacado, 577; *Gaillardia aestivalis* var. *winkleri*, var. *flavovirens*, and var. *aestivalis*, 621; *Arceuthobium divaricatum* and *Phoradendron juniperinum* on South Rim, Grand Canyon, 625; caryophyllid cestodes in Arkansas, 685; *Ptychocheilus lucius* and *Xyrauchen texanus* in San Juan and Colorado rivers, 686; *Holospira mesolia*, 691; *Crotalus scutulatus* in Jalisco, 693; *Dorsoma smithi* in Sonora, 695; *Geophis laticinctus*, 698; *Baiomys taylori taylori* in Texas, 707; *Sorex merriami* in New Mexico, 708

Disturbance; effect on index of diversity and equitability in tall grass prairie, 267

*Dorsoma smithi*: in Sonora, 695

Dowler, Robert C., and Hugh H. Genoways: Variation in *Pappogeomys castanops* (Geomyidae) on the Llano Estacado of Texas and New Mexico, 577

Dowler, Robert C. *See* Choate, Jerry R., et al., 249

*Drosophila melanogaster*: differences of females from female *D. simulans*, 204

*Drosophila simulans*: differences of females from female *D. melanogaster*, 204

*Dugesia dorotocephala*, *D. trigrina*: distribution in Arkansas, 141

Duke, James: The effects of added weight on walking speeds in *Orconectes virilis* (Decapoda: Astacidae), 613

Duke, Stephen D., Gary C. Bateman, and Martha M. Bateman: Longevity record for *Myotis californicus*, 693

Durango: *Arceuthobium blumeri*, 455

E

Elberhardt, Lester E., and Homer C. Pickens: Homing in mule deer, 705

Ecology: of *Gambusia nobilis* in New Mexico, 311

Ectoparasites: of small mammals, South Dakota and Texas, 689

Eggs: effect of prolonged wet storage on hatchability in *Streptocephalus seali*, 201

Einhellig, Frank A. *See* Rasmussen, James A., and . . . 637

*Elaphe obsoleta*: pupillary responses, 701

Ellis, L. Scott. *See* Hoffmeister, Donald F., and . . . 655

*Enchisthenes hartii* in Guerrero, 540

Endangered species: *Gambusia nobilis*, 311; *Cyprinodon elegans*, 535; *Poeciliopsis occidentalis occidentalis*, 555

Engstrom, Mark D. *See* Choate, Jerry R,. and . . . 207

Environmental structure: effects on burrow distribution in *Spermophilus tridecemlineatus*, 79

*Ephedra nevadensis*: germination and survival in Mojave Desert, 399

*Erethizon dorsatum*: pH, color, and composition of fecal pellets, 544

*Erigeron geiseri*: in Oklahoma, 386

*Eriogonum rotundifolium*: chromosome number, 189

*Etheostoma pallididorsum*: life history aspects, 475

*Euderma maculatum*: winter activity, 447

*Eutamias dorsalis*, *E. minimus*, *E. quadrivittatus*: subspecific status in

Arizona, 655
**Eutamias quadrivittatus rufus**, new subspecies, 656
Everitt, J. H., and C. L. Gonzales: Botanical composition and nutrient content of fall and early winter diets of white-tailed deer in South Texas, 297
Eyes: gross anatomy in minnows, 501
*Eysenhardtia spinosa*: chromosome number, 188

F

Farentinos, R. C.: Seasonal changes in home range size of tassel-eared squirrels (*Sciurus aberti*), 49
Faunal list: of mammals at Bodie, California, 553; of gastropods from Santa Ana Wildlife Refuge, Texas, 687
Feces: pH, color, and composition of porcupine pellets, 544
Fitzpatrick, L. C. *See* Smith, George A., et al., 1
Fleharty, Eugene D. *See* Kozel, Ronald M., and . . . 239
Flora: of gypsum hills and redbed area, southwestern Oklahoma, 431
Flower-visiting: of *Pseudomasaris vespoides*, 380
Forcella, Frank: Decomposition rate of piñon (*Pinus edulis* Engelm.) ovulate cones, 383
Foreyt, William J., and W. C. Glazener: A modified box trap for capturing feral hogs and white-tailed deer, 377
Food: of bullfrogs, 33; of teal, 373; of *Cyprinodon macularius* and *C. nevadensis*, 538; of *Sylvilagus auduboni*, 549
Ford, A. L. See Van Auken, O. W., et al., 165
Fratricide: in Swainson's hawk, 533
Fredricks, Myra S. *See* Keeler, Kathleen, and . . . 692
Freeman, C. E. *See* Rivera, Romelia L., and . . . 711
Freeman, Ron C., and James H. Shaw: Hybridization in *Canis* (Candidae) in Oklahoma, 485

G

*Gaillardia aestivalis* var. *aestivalis*, *G. a.* var. *flavovirens*, distribution in Texas, 621
**Gaillardia aestivalis** var. **winkleri**, comb. nov., 621
Gallucci, Tony, and James F. Scudday: *Holospira mesolia* (Urocoptidae) new to Brewster County, Texas, 691
*Gambusia affinis*: occurrence with *G. nobilis*, 311
*Gambusia affinis affinis*: avoidance of antitranspirant, 87
*Gambusia nobilis*: ecology and status in New Mexico, 311
Genoways, Hugh H. *See* Dowler, Robert C., and . . . 577
*Geophis laticinctus*: taxonomic status and distribution, 698
Germination: of perennials in Mojave Desert, 399; effects of alternating temperature in *Larrea tridentata*, 711
Gilliland, A. R. *See* Tyler, Jack D., and . . . 375
Glazener, W. C. *See* Foreyt, William J., and . . . 377
*Gnaphalium pringlei*: in Animas Mts., 291
Gonzales, C. L. *See* Everitt, J. H., and . . . 297
*Gopherus agassizi*: in extreme eastern Arizona, 545
*Grayia spinosa*: germination and survival in Mojave Desert, 399
Gross, Frederick A., and William A. Dick-Peddie: A map of primeval vegetation in New Mexico, 115
Growth: of *Menidia beryllina*, 546

*Gymnogyps californianus*: behavior, 190
Gypsophiles: in southwestern Oklahoma, 431

H

Habitat: of *Parnassia townsendii*, 209; of vireos, 223
Haiduk, Michael W. *See* Sites, Jack W., Jr., and . . . 393
Hall, H. Dale. *See* Chernoff, Barry, and . . . 181
Hambrick, Patrick S., and Henry W. Robison: Life history aspects of the paleback darter, *Etheostoma pallididorsum* (Pisces: Percidae), in the Caddo River system, Arkansas, 475
Harman, Walter J., Michael S. Loden, and Jack R. Davis: Aquatic Oligochaeta new to North America with some further records of species from Texas, 509
Harris, A. H. *See* Smartt, R. A., and . . . 710
Harrison, Thieron. *See* Anderson, Roger C., and . . . 463
Haynes, C. Vance. *See* Mead, Jim I., et al., 231
*Helicina orbiculata*: colony at Santa Ana Wildlife Refuge, 687
*Heloderma suspectum*: climbing activity, 703
Hendrickson, Dean A. *See* Minckley, W. L., et al., 695
Hershey, Frank. *See* Bragg, Thomas B., et al., 387
*Heterodon platyrhinos*: pupillary responses, 701
Hibernation: in *Pipistrellus hesperus*, 71
Hill, Loren G. *See* McCarley, Howard, and . . . 694
Hill, Loren G. *See* McCarley, Howard,
Hisey, Brent N. *See* Thompson, James N., Jr., et al., 204
Hoestenbach, Roger D., Jr. *See* Tyler, Jack D., and . . . 33
Hoffmeister, Donald F., and L. Scott Ellis: Geographic variation in *Eutamias quadrivittatus* with comments on the taxonomy of other Arizonan Chipmunks, 655
Holocene: early Holocene plant macrofossils from the Hueco Mts., 127
*Holospira mesolia*: recorded for Brewster County, Texas, 691
Holub, David L. *See* Cokendolpher, James C., et al., 376
Home range: in *Sciurus aberti*, 49
Hreha, Alyce M., and Darrell J. Weber: Distribution of *Arceuthobium divaricatum* and *Phoradendron juniperinum* (Viscaceae) on the south rim of Grand Canyon, 625
Hubbs, Clark, and S. Michael Dean: Growth and reproductive responses of *Menidia beryllina* (Atherinidae) inhabiting Lake Texoma, 546
Huckell, Bruce B. *See* Mead, Jim I., et al., 231
Hulse, Arthur C., and George A. Middendorf: Notes on the occurrence of *Gopherus agassizi* (Testudinidae) in extreme eastern Arizona, 545
*Hybopsis*: gross anatomy of olfactory organ and eyes, 501
Hybrid index: limitation, 463
Hybridization: in *Canis* in Oklahoma, 485
*Hylonycteris underwoodi minor*: in Nayarit, 540

I

*Ictiobus bubalus*: gut parasites, 685
Ideker, Joe: The associated gastropod fauna of the Santa Ana National Wildlife Refuge with notes on a colony of the snail, *Helicina orbiculata*, 687
Identification: of three *Perognathus* in Trans-Pecos Texas, 17; of genera of

American rabbits of Blancan age, 275
Index: of diversity and equitability, 267
Insecticides: effects on non-target arthropods, 439
Irvine, James R., and Neil E. West: Riparian tree species distribution and succession along the lower Escalante River, Utah, 331
*Isocoma drummondii*: vegetative growth and mortality, 97

J

Jackson, R. C. *See* Arnold, M. L., and . . . 645
Jalisco: *Crotalus scutulatus*, 693
Johnson, Jerry D.: Taxonomic status and distribution of *Geophis latticinctus* (Colubridae) in southern Mexico, 698
Johnson, Mark K., and Andrew B. Carey: Porcupine pellet pH, color, and composition, 544
*Juniperus*: Pleistocene occurrence, 127
*Juniperus ashei*: on Edwards Plateau, 165
*Juniperus erythrocarpa*, *J. monosperma*, and *J. pinchotii*: distribution, synonymy, and taxonomy, 323
*Juniperus osteosperma*: relationship with *Phoradendron juniperinum*, 625

K

Kansas: movements of rodents across roads, 239; discrimination between *Peromyscus leucopus* and *P. maniculatus*, 249
Karyotype: of *Sceloporus exsul*, 393
Keeler, Kathleen, and Myra S. Fredricks: Nocturnal pollination of *Abronia fragrans* (Nyctaginaceae), 692
Kevan, Peter. *See* Miller, Debbie, and 439
Kincaid, W. Bradley. *See* Cameron, Guy N., et al., 63
Koehn, Robert D.: A new checklist of mycelial fungi from marine habitats of Mustang Island, Texas, 365
Kozel, Ronald M., and Eugene D. Fleharty: Movements of rodents across roads, 239
Krause, Janet E. *See* Choate, Jerry R., et al., 249
Krausman, Paul R.: Use of caves by white-tailed deer, 203
Kynard, Boyd E. *See* McMahon, Thomas E., and . . . 87

L

*Larrea tridentata*: germination and survival in Mojave Desert, 399; effects of alternating temperatures on germination, 711
**Laterocotyle padreinsulae**, n. gen. and sp., 557
Lek, man-made: use by lesser prairie chickens, 706
*Lepidium virginicum*: chromosome number, 187
*Lepisosteus spatula*: reproduction in Lake Texoma, 694
Leverich, Wesley J.: The relationship between *Phlox drummondii* (Polemoniaceae) and its predator *Disonycha alabamae* (Chrysomelidae), 536
Lewis, Michael A. *See* Collins, James P., and . . . 371
Life history: of *Etheostoma pallididorsum*, 475
*Limnodrilus hoffmeisteri*, *L. udekemianus*: new to western Texas, 509
Lindberg, David R. *See* Belk, Denton, and . . . 390
Lipids: deposition and withdrawal in hibernation by *Pipistrellus hesperus*, 71
Llano Estacado: variation in *Pappogeomys castanops*, 577
Locomotion: effects of added weight on

speed in *Orconectes virilis*, 613
Loden, Michael S. *See* Harman, Walter J., et al., 509
López-Forment, William. *See* Ramírez-Pulido, José, and . . . 540
Louisiana: isolated population of *Lucania parva*, 181
*Lucania parva*: meristic and morphometric characters in a population isolated in False River, 181
*Lycium torreyi*: chromosome number, 189
Lynch, Robert. *See* Pfiester, Lois A., et al., 149

M

*Machaeranthera* section *Psilactis*: genic differentiation, 645
*Machaeranthera boltoniae*, *M. brevilingulata*, *M. mexicana*, *M. tenius*: taxonomy, 645
*Machaeranthera pinnatifida*: chromosome number, 187
*Malacothrix glabrata*: chromosome number, 187
Mammalia: high local species richness, 553; ectoparasites, 689
*Mammut americanum*: at Lehner Site, Arizona, 231
Map: of primeval vegetation of New Mexico, 115
Marion, Ken R., and Owen J. Sexton: Protective behavior by male pronghorn, *Antilocapra americana* (Artiodactyla), 709
Marti, Carl D.: [Review of] Birds of Utah, 397
Mason, P. H. *See* Meyer, R. P., et al., 603
Mathiasen, Robert L.: Distribution and effect of dwarf mistletoes parasitizing *Pinus strobiformis* in Arizona, New Mexico, and northern Mexico, 455
Mauney, Morris, Jr.: New distributional records for caryophyllid cestodes from Arkansas, 685
Maxwell, Terry C.: Vireos (Aves: Vireonidae) in west-central Texas, 223
Mayeux, H. S., Jr., and C. J. Scifres: Vegetative growth and mortality of Drummond's goldenweed (*Isocoma drummondii* [T.&G.] Greene: Compositae) as influenced by soil moisture and site characteristics, 97
McCarley, Howard, and Loren G. Hill: Reproduction of *Lepisosteus spatula* (Lepisosteidae) in Lake Texoma, 694
McDaniel, B.: Host records of ectoparasites from small mammals of South Dakota, 689
McGraw, J. Leon, Jr. *See* Simpson, Douglas T., and . . . 557
McKenzie, T. L. *See* Meyer, R. P., et al., 603
McMahon, Thomas E., and Boyd E. Kynard: Avoidance of antitranspirant by western mosquito fish, *Gambusia affinis affinis* (Pisces: Poeciliidae), 87
McNatt, Randy: Discovery and loss of a new locality for the Gila topminnow, *Poeciliopsis occidentalis occidentalis* (Poeciliidae), 555
Mead, Jim I., C. Vance Haynes, and Bruce B. Huckell: A late Pleistocene mastodon (*Mammut americanum*) from the Lehner Site, southwestern Arizona, 231
Meierkord, Marcie. *See* Ruffner, George A., et al., 447
*Menidia beryllina*: growth and reproductive responses in Lake Texoma, 546
*Mesocyclops edax*: zooplankton community, 1
Mexico: *Parnassia townsendii*, biology, 209; distribution and taxonomy of three junipers, 323; occurrence of *Pinus cembroides* var. *remota* 389; *Branchinecta lindahli* on Isla de Guadalupe, 390; distribution and effect of dwarf mistletoes on *Pinus strobiformis*, 455; distribution of bats, 540; *Crotalus scutulatus* in Jalisco,

693; *Dorsoma smithi* in Sonora, 695; taxonomy and distribution of *Geophis laticinctus*, 698
Meyer, R. P., F. G. Zalom, T. L. McKenzie, and P. H. Mason: Notes on insects associated with desert broom (*Baccharis sarothroides* Gray) (Compositae) in southeastern Arizona, 603
*Microtus*: late Pleistocene occurrence, 127
*Microtus ochrogaster*: movement across roads, 239
Middendorf, George A. *See* Hulse, Arthur C., and . . . 545
Miller, Debbie, and Peter Kevan: Insecticides and non-target arthropods on *Artemisia filifolia* (Compositae), 439
Minckley, C. O., and S. W. Carothers: Recent collections of the Colorado River squawfish and razorback sucker from the San Juan and Colorado rivers in New Mexico and Arizona, 686
Minckley, W. L., Dean A. Hendrickson, and Darrel J. Siebert: Additional records for the Pacific gizzard shad, *Dorsoma smithi* (Clupeidae), from Sonora, Mexico, 695
Mojave Desert: germination and survival of perennials, 399
*Molossus ater nigricans*: in Coahuila, 540
*Molossus molossus aztecus*: in Coahuila, 540
*Monobothrium ingens*: new for Arkansas, 685
*Monopylephorus* sp.: new to Texas, 509
Moore, Walter G.: The effect of prolonged wet storage on the hatchability of eggs of *Streptocephalus seali* Ryder (Branchiopoda: Anostraca), 201
Morphology: of *Parnassia townsendii*, 209
Mortality: of *Isocoma drummondii*, 97; of olivaceous cormorants, 259
Morrison, Michael L., Edwin Shanley, Jr., and R. Douglas Slack: Breeding biology and age-specific mortality of olivaceous cormorants, 259
Moulton, Michael P. *See* Choate, Jerry R., and . . . 717
Murray, Geneva Biffle, and Bedford M. Vestal: Effects of environmental structure on the burrow distribution of thirteen-lined ground squirrels, *Spermophilus tridecemlineatus* (Sciuridae), 79
*Mus musculus*: movement across roads, 239
Mycelial fungi: Checklist from marine habitats of Mustang Island, Texas, 365
*Myobia musculi*: on *Peromyscus maniculatus*, 6
*Myocoptes muscuinus*: on small mammals in South Dakota, 6
*Myotis californicus*: winter activity in Utah, 447; longevity, 693
*Myotis fortidens fortidens*: in Veracruz, 540
*Myotis velifer grandis*: in north-central Texas, 376
*Myrmecocystus depilis*, *M. mexicanus*: predation by mammals, 677

N

Naiman, Robert J.: Preliminary food studies of *Cyprinodon macularius* and *Cyprinodon nevadensis* (Cyprinodontidae), 538
*Nais communis*, *N. variabilis*: new to Texas, 509
Neal, James A. *See* Ruffner, George A., et al., 447
Nebraska: new species of fairy shrimp, 93; accessory paired fin in *Carpiodes carpio*, 200; nocturnal pollination of *Abronia fragrans*, 692
*Nekrolagus*: identification, 275
*Nemacladus glanduliferus*: chromosome number, 187

*Neotoma albigula*: in Sonoran Desert habitats, 279
*Neotoma floridana attwateri*: in north-central Texas, 377
*Nerodia erythrogaster*, *N. fasciata*, and *N. rhombifera*: pupillary responses, 701
Nesom, Guy L.: *Erigeron geiseri* (Compositae) in Oklahoma, 386
Netherland, Lane: The effect of disturbances in tall grass prairie sites on an index of diversity and equitability, 267
Nevada: germination and survival of perennials, 399
New Mexico: map of primeval vegetation, 115; plant chromosome numbers, 187; new records for the Animas Mountain flora, 291; ecology and status of *Gambusia nobilis*, 311; decomposition rate of piñon, 383; effect of dwarf mistletoe on *Pinus strobiformis*, 455; variation in *Pappogeomys castanops*, 577; distribution of *Ptychocheilus lucius*, 686; homing in mule deer, 705; records of *Sorex merriami*, 708; record of *Picea* from Pleistocene, 710
*Nocomis*: gross anatomy of olfactory organ and eyes, 501
Nomenclature: of *Suphisellus*, 419
*Notiosorex crawfordi*: status in Oklahoma, 375
*Notolagus*: identification, 275
*Notropis ozarcanus*: in Illinois River system, Arkansas, 381
Nuevo León: occurrence of *Pinus cembroides* var. *remota*, 389

O

*Odocoileus hemionus*: homing, 705
*Odocoileus virginianus*: use of caves, 203; fall and early winter diets, 297; box trap for, 377
Ohmart, Robert D. *See* Stamp, Nancy E., and . . . 279
Olfactory organ: gross anatomy in minnows, 501
Oklahoma: foods of bullfrogs, 33; effects of environmental structure on burrow distribution of *Spermophilus tridecemlineatus*, 79; species composition and diversity of periphyton in Grand River Dam area, 149; swimming in *Terrapene carolina*, 189; status and distribution of *Notiosorex crawfordi*, 375; *Campostoma oligolepis* in Illinois River, 381; occurrence of *Erigeron geiseri*, 386; second record of *Tadarida macrotis*, 389; floristic components of gypsum hills and redbed area, 431; *Quercus* demonstrating limitation of hybrid index, 463; hybridization in *Canis*, 485; evidence for fratricide in Swainson's hawk, 533; growth and reproductive responses of *Menidia beryllina* in Lake Texoma, 546; reproduction of *Lepisosteus spatula*, 694
*Onychomys leucogaster arcticeps*: in north-central Texas, 377
*Ophioglossum nudicale* var. *tenerum*: occurrence in Texas, 395
*Orconectes virilis*: effects of added weight on walking speed, 613
*Ornithogalum texanum*: not basionym of *Schoenolirion*, 123
*Oxytropis sericea*: chromosome number, 188
Owings, D. H., R. Virginia, and D. Paussa: Time budgets of California ground squirrels during reproduction, 191

P

*Pappogeomys castanops*: variation on Llano Estacado, 577
*Paranais litoralis*: new to Texas, 509
Parasitism: effect of dwarf mistletoes on *Pinus strobiformes*, 455

Parker, James W.: Evidence for fratricide in Swainson's hawk (Accipitridae), 532
Parmley, Dennis C. *See* Cokendolpher, James C., et al., 376
*Parnassia fimbriata* complex: evolution, 209
*Parnassia townsendii*: biology, 209
Paussa, D. *See* Owings, D. H., et al., 191
Pearson, W. D. *See* Smith, George A., et al., 1
Periphyton: species composition and diversity in Grand River Dam area, Oklahoma, 147
*Perognathus hispidus*: movement across roads, 239
*Perognathus intermedius*, *P. nelsoni*, and *P. penicillatus*: identification and distribution in Trans-Pecos Texas, 17
*Perognathus penicillatus*: in Sonoran Desert habitats, 279
*Peromyscus eremicus*: in Sonoran Desert habitats, 279
*Peromyscus leucopus*: discrimination from *P. maniculatus*, 249
*Peromyscus maniculatus*: movement across roads, 239; discrimination from *P. leucopus*, 249; late breeding in north-central Colorado, 527
Pfiester, Lois A., Robert Lynch, and Terry L. Wright: Species composition and diversity of periphyton in the Grand River Dam area, Mayes County, Oklahoma, 149
Pflieger, William L. *See* Burr, Brooks M., et al., 381
*Phacelia cephalotes*: chromosome number, 188
*Phagocata* sp., *P. gracilis*: distribution in Arkansas, 141
*Phalacrocorax olivaceous*: breeding biology and age specific mortality, 259
*Phaseolus angustissimus*: chromosome number, 188
*Phlox drummondii*: relationship with *Disonycha alabamae*, 536
*Phoradendron juniperinum*: distribution on south rim, Grand Canyon, 625
*Physalis lobatus*: chromosome number, 189
*Picea*: Pleistocene record from south-central New Mexico, 710
Pickens, Homer C. *See* Eberhardt, Lester E., and . . . 705
*Pinus ayacahuite* var. *brachyptera*: host of *Arceuthobium blumeri* in Mexico, 455
*Pinus cembroides* var. *remota*: in northern Mexico, 389
*Pinus edulis*: Pleistocene occurrence, 127; decomposition rate of ovulate cones, 383; distribution and effect of *Arceuthobium* on, 625
*Pinus strobiformis*: effect of dwarf mistletoes on, 455
*Pipistrellus hesperus*: lipid deposition and withdrawal before and during hibernation, 71; winter activity in Utah, 447
*Pipistrellus subflavus subflavus*: in north-central Texas, 376
Plant communities: comparison of in Edwards Plateau, 165
*Platanus occidentalis*: on Edwards Plateau, 165
*Platygobio*: gross anatomy of olfactory organ and eye, 501
Pleistocene: distribution of *Blarina carolinensis* in Texas, 39; plant macrofossils from Hueco Mts., 127; mastodon in Arizona, 231; *Picea* from south-central New Mexico, 710
Pliocene: identification of genera of American rabbits of Blancan age, 275
Ploskey, Gene R., and John A. Sealander: Lipid deposition and withdrawal before and during hibernation in *Pipistrellus hesperus* (Chiroptera: Vespertilionidae), 71
Plumage: aberrancies in band-tailed pi-

geons, 391
*Plummera ambigens*: in Animas Mts., 291
Poche, Richard M. *See* Ruffner, George A., et al., 447
Pollination: of *Abronia fragrans*, 692
Pollution: of waterways, Grand River Dam area, Oklahoma, 149
*Pogonias cromis*: aspidogastrid trematodes from, 557
*Populus fremontii*: distribution along Escalante River, 331
*Pratilepus*: identification, 275
Predation: on honey ants by mammals, 677
Predator-prey relationships: between *Disonycha alabamae* and *Phlox drummondii*, 536
*Pristina aequiseta*, *P. leidyi*, and *P. synclites*: new to western Texas, 509
*Pristina americana*: new to North America, 509
*Procotyla fluviatilis*: distribution in Arkansas, 141
Productivity: in a small Kansas lake, 667
*Progne subis*: chick recognition, 683
Prophet, Carl W., and Belinda A. Carrillo: Gross primary productivity in a small Kansas lake, based on continuous in-site recordings, 24 March–31 June 1977, 667
*Pseudolytocestus differtus*: new for Arkansas, 685
*Pseudomasaris vespoides*: flower-visiting habits, 380
*Ptychocheilus lucius*: occurrence in San Juan River, 686
Pupillary responses: in snakes, 701
Pyle, Richard A., and William Caire: Second record of *Tadarida macrotis* (Gray) (Chiroptera: Molossidae) in Oklahoma, 389

Q

*Quercus*: a limitation of the hybrid index using leaf characters, 463
*Quercus fusiformis*: on Edwards Plateau, 165
*Quercus toumeyi*: Pleistocene occurrence, 127

R

Ramírez-Pulido, José, and William López-Forment: Additional records of some Mexican bats, 540
*Rana catesbeiana*: foods, 33
*Rana pipiens* complex: overwintering tadpoles and breeding season variation, 371
*Rana pipiens* (lowland form): overwintering tadpoles in Arizona, 371
Rand, Matt S. *See* Cross, John K., and . . . 703
Rasmussen, James A., and Frank A. Einhellig: Allelochemic effects of leaf extracts of *Ambrosia trifida* (Compositae), 637
*Regina grahami*: pupillary responses, 701
*Reithrodontomys megalotis*: movement across roads, 239
Reproduction: late breeding of *Peromyscus maniculatus*, 527; of *Menidia beryllina*, 546; of redheads in Texas Panhandle, 691; of *Lepisosteus spatula*, 694
Resource allocation: in *Sceloporus jarrovi*, 347
*Rhinichthys*: gross anatomy of olfactory organ and eyes, 501
Rhodes, Mark J.: Redheads breeding in the Texas Panhandle, 691
*Rhus lanceolata*: Pleistocene occurrence, 127
*Ribes* cf. *montigenum*: Pleistocene occurrence, 127
Riparian woodland habitat: rodents, 279
Riskind, David H. *See* Van Devender, Thomas R., and . . . 127
Rivera, Romelia L., and C. E. Freeman: The effects of some alternating

temperatures on germination of creosotebush (*Larrea tridentata* [D.C.] Cov.: Zygophyllaceae), 711
Roads: as barriers for rodent movement, 239
Robison, Henry W. *See* Hambrick, Patrick S., and . . . 475
Rodent movements, 239
Ruffner, George A., Richard M. Poche, Marcie Meierkord, and James A. Neal: Winter bat activity over a desert wash in southwestern Utah, 447

S

*Salix exigua*: distribution along Escalante River, 331
*Sceloporus exsul*: karyotype, 393
*Sceloporus jarrovi*: food resource utilization, 347
*Schizachyrium scoparium*: effect of disturbance, 267
*Schoenolirion texanum*: misuse of name, 123
**Schoenolirion wrightii:** sp. nov., 123
Schmidly, David J., and Wennona A. Brown: Systematics of short-tailed shrews (genus *Blarina*) in Texas, 39
Schmidly, David J. *See* Wilkins, Kenneth T., and . . . 17
Scifres, C. J. *See* Mayeux, H. S., Jr., and . . . 97
*Scuirus aberti*: seasonal changes in home range size, 49
Scudday, James F. *See* Gallucci, Tony, and . . . 691
Sealander, John A. *See* Ploskey, Gene R., and . . . 71
Sell, Darwin L.: Fall foods of teal on the Texas High Plains, 373
Sexton, Owen J. *See* Marion, Ken R., and . . . 709
Shanley, Edwin, Jr. *See* Morrison, Michael L., et al., 259
Shaw, James H. *See* Freeman, Ron C., and . . . 485
Shepard, William D. *See* Brown, Harley P., and . . . 195
Sherman, Harry L.: Evidence of misapplication of the name *Schoenolirion texanum* (Scheele) Gray (Liliaceae), 123
Siebert, Darrell J. *See* Minckley, W. L., et al., 695
*Sigmodon hispidus*: daily movement patterns, 63; movement across roads, 239
*Silene planki*: chromosome number, 188
*Silene thurberi*: in Animas Mts., 291
Simpson, Douglas T., and J. Leon McGraw, Jr.: Two new genera of Aspidogasteridae from *Pogonias cromis* (L.) from the Texas Gulf Coast, 557
Sites, Jack W., Jr., and Michael W. Haiduk: The karyotype of *Sceloporus exsul* (Sauria: Iguanidae), 393
Slack, R. Douglas. *See* Morrison, Michael L., et al., 259
*Slavina appendiculata*: new to western Texas, 509
Smartt, R. A., and A. H. Harris: A record of spruce (Pinaceae: *Picea*) from the Pleistocene of south-central New Mexico, 710
Smith, Andrew T.: High local species richness of mammals at Bodie, California, 553
Smith, George A., L. C. Fitzpatrick, and W. D. Pearson: Structure and dynamics of a zooplankton community in a small north-central Texas pond system, 1
Soltis, Douglas E. *See* Bye, Robert A., and . . . 209
Sonora: occurrence of *Arceuthobium blumeri*, 455; occurrence of *Dorsoma smithi*, 695
Sonoran Desert: rodents of desert shrub and riparian woodland habitats, 279
*Sorex merriami*: in New Mexico, 708
*Sorghastrum nutans*: effect of disturbance, 267

South Dakota: ectoparasites of small mammals, 689
Southwest: distribution and taxonomy of three junipers, 323
Spellenberg, Richard: Chromosome numbers from some federally proposed threatened or endangered Southwestern angiosperms and other miscellaneous taxa, 187
*Spermophilus beecheyi*: time budgets during reproduction, 191
*Spermophilus tridecemlineatus*: effects of environmental structure on burrow distribution, 79; movement across roads, 239
*Spilogale putorius interrupta*: in north-central Texas, 377
Stamp, Nancy E., and Robert D. Ohmart: Rodents of desert shrub and riparian woodland habitats in the Sonoran Desert, 279
Stasiak, Richard H.: A river carpsucker, *Carpiodes carpio* (Osteichthyes: Catostomidae) with an accessory paired fin, 200
Status: of *Gambusia nobilis* in New Mexico, 311
Stein, A. *See* Van Auken, et al., 165
Stovall, Randall H., and J. P. Kennedy: Pupillary response in certain snakes (Colubridae), 701
*Streptocephalus seali*: effect of prolonged wet storage on eggs, 201
Succession: of riparian tree species along the Escalante River, 331
*Suphisellus*: taxonomy in the Americas north of Colombia, 409
*Suphisellus bicolor, S. binotatus, S. curtus, S. gibbulus, S. insularis, S. levis, S. lineatus, S. majusculus, S. nigrinus S. parsoni, S. simoni, S. subsignatus, S. tenuicornis,* and *S. varians*: taxonomy, 409
**Suphisellus bicolor bicolor,** new comb., 425
**Suphisellus bicolor punctipennis,** new comb., 426
**Suphisellus neglectus,** n. sp., 409
*Sus scrofa*: box trap for, 377
Sutherland, David M. *See* Bragg, Thomas B., et al., 387
Swimming: in *Terrapene carolina*, 189
*Sylvilagus auduboni*: spring and summer foods in north-central Colorado, 549
*Symphoricarpos*: Pleistocene occurrence, 127
Synonymy: of three junipers, 323

T

*Tadarida brasiliensis*: winter activity in Utah, 447
*Tadarida macrotis*: second record for Oklahoma, 389
*Tamarix pentandra*: distribution along Escalante River, 331
*Taxidea taxus*: probable predator on honey ants, 677
Taxonomy: of *Blarina carolinensis* in Texas, 39; *Lucania parva* in False River, Louisiana, 181; zoological type specimens in Stovall Museum of Science and History, 195; of *Parnassia townsendii*, 209; of *Juniperus* in southwestern USA and Mexico, 323; of *Suphisellus* in the Americas north of Colombia, 409; of *Pappogeomys castanops*, 577; *Gaillardia aestivalis* var. *winkleri*, 621; within *Machaeranthera* section *Psilactis*, 645; of *Eutamias* spp. in Arizona, 655; of *Geophis laticinctus*, 698
Taylor, Maple A.: Lesser prairie chicken use of man-made leks, 706
Tepedino, V. J.: Notes on the flower-visiting habits of *Pseudomasaris vespoides* (Hymenoptera: Masaridae), 380
*Terrapene carolina*: swimming, 189
**Texanocotyle pogoniae,** n. gen. and sp., 557
Texas: zooplankton community structure and dynamics, 1; identification

and distribution of three species of *Perognathus*, 17; systematics of *Blarina*, 39; daily movement patterns of *Sigmodon hispidus*, 63; vegetative growth and mortality of *Isocoma drummondii*, 97; type locality of *Schoenolirion wrightii*, 123; late Pleistocene and early Holocene plant macrofossils, 127; woody upland and riparian plant communities, southern Edwards Plateau, 165; use of caves by white-tailed deer, 203; occurrence of vireos, 223; breeding biology and age-specific mortality of olivaceous cormorants, 259; fall and early winter diets of white-tailed deer, 297; checklist of mycelial fungi from marine habitats of Mustang Island, 365; fall foods of teal on the High Plains, 373; new mammal records from north-central Texas, 376; occurrence of *Botrychium lunarioides* and *Ophioglossum nudicaule* var. *tenerum*, 395; effects of insecticides on nontarget arthropods on *Artemisia filifolia*, 439; aquatic Oligochaeta new to state and new to western Texas, 509; die-offs of *Cyprinodon elegans*, 535; relationship between *Phlox drummondii* and *Disonycha alabamae*, 536; growth and reproductive responses of *Menidia beryllina*, 546; two new genera of aspidogastrid trematodes, 557; variation in *Pappogeomys castanops*, 577; chick recognition in purple martins, 683; gastropod fauna of Santa Ana Wildlife Refuge, 687; *Yunkercarus faini* from *Peromyscus leucopus*, 689; breeding of *Aythya americana* in Panhandle, 691; occurrence of *Holospira mesolia* in Brewster Co., 691; reproduction of *Lepisosteus spatula*, 694; armadillo behavior, 697; use of man-made leks by lesser prairie chickens, 706; additional records of *Baiomys taylori taylori*, 707

*Tillandsia recurvata*: in Animas Mts., 291

Time budgets: in *Spermophilus beecheyi* during reproduction, 191

Thomas, R. Dale: First record of *Botrychium lunarioides* and *Ophioglossum nudicaule* var. *tenerum* (Ophioglossaceae) from Texas, 395

Thompson, James N., Jr., Brent N. Hisey, and R. C. Woodruff: Morphological differences between the females of *Drosophila melanogaster* and *D. simulans*, 204

*Tradescantia wrightii*: chromosome number, 188

Trap: for feral hogs and white-tailed deer, 377

Turner, B. L.: *Gaillardia aestivalis* var. *winkleri* (Asteraceae), a white-flowered tetraploid taxon endemic to southeastern Texas, 621

Tyler, Jack D.: A case of swimming in *Terrapene carolina* (Testudines: Emydidae), 189

Tyler, Jack D., and A. R. Gilliland: Status of *Notiosorex crawfordi* in Oklahoma, and new distributional records, 375

Tyler, Jack D., and Roger D. Hoestenbach, Jr.: Differences in food of bullfrogs (*Rana catesbeiana*) from pond and stream habitats in southwestern Oklahoma, 33

*Tympanuchus pallidicinctus*: use of man-made leks, 706

U

*Ulmus crassifolia*: on Edwards Plateau, 165

*Uroderma magnirostrum*: in Guerrero, 540

Utah: distribution and succession of riparian tree species along Escalante River, 331; winter bat activity, 447

V

Van Auken, O. W., A. L. Ford, and A.

Stein: A comparison of some woody upland and riparian plant communities of the southern Edwards Plateau, 165
Van Devender, Thomas R., and David H. Riskind: Late Pleistocene and early Holocene plant remains from Hueco Tanks State Historical Park: The development of a refugium, 127
Van Vuren, Dirk: California condor behavior near Mount Pinos, California, 190
Vestal, Bedford M. *See* Murray, Geneva Bliffle, and . . . 79
*Vireo atricapilla, V. bellii, V. flavifrons, V. gilvus, V. griseus, V. olivaceus, V. solitarius*, and *V. vicinior*: occurrence in west-central Texas, 223
Virginia, R. *See* Owings, D. H., et al., 191

W

Wagner, Warren L.: New records to the Animas Mountain flora, New Mexico, 291
Ward, F. John. *See* Braun, Clait E., et al., 391
Way, Cathy A. *See* Cameron, Guy N., et al., 63
Webb, Robert G. [Review of] A biogeographical analysis of the Chihuahuan Desert through its herpetofauna, 715
Weber, Darrell J. *See* Hreha, Alyce M., and . . . 625
Wendt, Tom. *See* Bailey, D. K., and . . . 389
West, Neil E. *See* Irvine, James R., and . . . 331
White, J. Allen. *See* Braun, Clait E., et al., 391
Wilkins, Kenneth T., and David J. Schmidly: Identification and distribution of three species of pocket mice (genus *Perognathus*) in Trans-Pecos Texas, 17
Willson, Mary F., and Steven W. Carothers: Avifauna of habitat islands in the Grand Canyon, 563
*Wislizenia refracta*: chromosome number, 187
Woodrow, J. O., Jr. *See* Cameron, Guy N., et al., 63
Woodruff, R. C. *See* Thompson, James N., Jr., et al., 204
Wright, Terry L. *See* Pfiester, Lois A., et al., 149
Wunder, Bruce A., and David Byman: Late breeding of deer mice (*Peromyscus maniculatus*) in north-central Colorado, 527

X

*Xyrauchen texanus*: occurrence in Colorado River drainage, 686

Y

Young, Frank N.: Water beetles of the genus *Suphisellus* Crotch in the Americas north of Colombia (Coleoptera: Noteridae), 409
*Yunkercarus faini*: on *Peromyscus maniculatus* from South Dakota and on *P. leucopus* from Texas, 389

Z

Zalom, F. G. *See* Meyer, R. P., et al., 603
Zanoni, Thomas A. *See* Adams, Robert P., and . . . 323
*Zenaida macroura*: albinism, 198
Zooplankton: community structure and dynamics, 1